

Lempel & Ziv's methods

- Let x_1, \dots, x_n be a sequence of items.
- We want to find a sub-sequence x_k, \dots, x_m which holds: $P(x_k, \dots, x_m) > \prod_{i=k}^m P(x_i)$
- For example $p(qu) > p(q) \cdot p(u)$.
- Huffman and Arithmetic don't look on the item's environment.



significantly bigger

6. 1 © Klein S. T. and Wiseman Y.

Implementation of LZ77

- Pointers should be distinguished from other items.
- char, offset, length, char, offset, length, ...
- A null pointer is (0,0).
- If two pointers are adjacent, the first character of the second string will be encoded separately.
- Offset is accommodated in n bits so the maximum offset is 2^n

6. 4 © Klein S. T. and Wiseman Y.



Some versions of LZ77

- LZSS - A flag bit for distinguishing pointers from the other items.
- LZR - No limit on the pointer size.
 - Example: $1234_{10} = 10011010010_2$
 - 100101100011010010
 - 3 4 11
- LZH - Compress the pointers in Huffman coding.

6. 5 © Klein S. T. and Wiseman Y.

LZW algorithm

- dictionary \leftarrow single characters
- $w \leftarrow$ first character of input
- step: • $k \leftarrow$ next character
- if EOF then output(code(w)); exit
- else
 - ▶ if $wk \in$ dictionary then $w \leftarrow wk$
 - ▶ else
 - ◆ Output (code(w))
 - ◆ dictionary $\leftarrow wk$
 - ◆ $w \leftarrow k$
 - ▶ goto step

6. 8

© Klein S. T. and Wiseman Y.

LZW

- A version of LZ78.
- If $x \in$ dictionary then all prefix(x) \in dictionary
- Finds the longest string in dictionary. If x_1, \dots, x_n in dictionary but x_1, \dots, x_{n+1} not in dictionary, add x_1, \dots, x_{n+1} to dictionary.

6. 7

© Klein S. T. and Wiseman Y.

Dictionary considerations

- Dictionary size is determined according to pointer's length. Pointer's length can be changed during processing.
- When dictionary is full, one of these can be done:
 - ▶ Delete the whole dictionary.
 - ▶ Delete strings according to LRU.
 - ▶ Each string has a counter. A string whose counter is the lowest will be deleted.
 - ▶ Stop to update the dictionary.
 - ▶ Double the dictionary's size.

6. 10

© Klein S. T. and Wiseman Y.

An example to LZW

• $T = ababcbbababaaaaaa$

w	a	b	a	ab	c	b	ba	b	ba	bab	a	a	aa	a	aa	aaa	a
wk	ab	ba	ab	abc	cb	ba	bab	ba	bab	baba	aa	aa	aaa	aa	aaa	aaaa	a
out	1	2	4	3	5					8	1		10			11	1
dict'	ab	ba	abc	cb	bab					baba	aa		aaa			aaaa	

• Dictionary:

code	1	2	3	4	5	6	7	8	9	10	11	12
string	a	b	c	ab	ba	abc	cb	bab	baba	aa	aaa	aaaa

6. 9

© Klein S. T. and Wiseman Y.

Some features of LZW

• In order to reduce dictionary size:

code	1	2	3	4	5	6	7	8	9	10	11	12
string	a	b	c	1b	2a	4c	3b	5b	8a	1a	10a	11a

- If there is a long string like "Jerusalem", all its sub-strings will be in the dictionary too.
 - ▶ J, Je, Jer, Jeru, Jerus, Jerusa, Jerusal, Jerusale, Jerusalem.
 - ▶ LZMW - concatenate last two strings instead of string and a single item.
 - ▶ Strings like $aa \dots a$ will have in LZMW, $O(\log(n))$ entries in the dictionary instead of $O(\sqrt{n})$ in LZW.

6. 12

© Klein S. T. and Wiseman Y.

LZW decoding

code	1	2	4	3	5	8	1	10	11	1
decoded text	a	b	ab	c	ba	bab	a	aa	aaa	a
dictionary		ab	ba	abc	cb	bab	baba	aa	aaa	aaaa

- In these stages the decoder gets a code which isn't in the dictionary yet.
- In such cases, the last code's string concatenated with first item in the string, will be the new string.

6. 11

© Klein S. T. and Wiseman Y.


Optimal partition

- $D = \{ abc, ab, cdef, d, de, ef, f \}$
- $T = abcdef$
- Greedy method will yield abc-de-f.
- A better partition would be ab-cdef.
- If the words in D are encoded by 1, 2, 3, 4, 5, 6 and 6 bits respectively, abc-d-ef is the optimal partition.

6. 14

© Klein S. T. and Wiseman Y.

Recompression



- Many of Lempel-Ziv methods save some running time by losing some efficiency.

6. 13

© Klein S. T. and Wiseman Y.

Encoding

- $f: D \rightarrow \{0,1\}^*$ assigns to each element of the dictionary a binary string.
- f produces a code which is uniquely decipherable.
- A fixed length code can be good, if the occurrences of the elements of D in S is nearly uniform.
- We look for the minimal $\sum_{j=0}^n |f(S_{i_j+1} \dots S_{i_{j+1}})|$

6. 16

© Klein S. T. and Wiseman Y.

Definitions

- Let $S = S_1 S_2 \dots S_n$ be a string. Each S_i belongs to an alphabet Σ .
- Let D be a dictionary contains words from Σ .
- An increasing sequence of indices $i_0 = 0, i_1, i_2, \dots$ Should be found s.t.: $S = S_1 S_2 \dots S_n = S_1 \dots S_{i_1} S_{i_1+1} \dots S_{i_2} \dots$ with $S_{i_{j-1}+1} \dots S_{i_j} \in D$ for $j=0,1,\dots$

6. 15

© Klein S. T. and Wiseman Y.

Improving the graph

- Before adding edge (i,j) to E , check if it is possible to reach vertex j directly from every vertex in $\{k | (k,i) \in E\}$, without passing through vertex i .
- If so, we assume the triangle inequality which holds for many practical schemes. Hence edge (i,j) can be pruned.
- If after having checked all the edges emanating from vertex i , none of have been adjoined to E , vertex i and all the incoming edges on vertex i can be pruned.

6. 18

© Klein S. T. and Wiseman Y.

Reduction to The Shortest Path

- Vertex i corresponds to the character S_i for $i \leq n$ and $n+1$ corresponds to the end of the text.
- An ordered pair (i,j) with $i < j$ belongs to E if and only if $S_i \dots S_{j-1} \in D$.
- The label L_{ij} is defined for edge $(i,j) \in E$ as $|f(S_i \dots S_{j-1})|$
- Dijkstra's worst case complexity for finding the shortest path is the highest between $O(|V|^2)$ and $O(|E| + |V| \log |V|)$.
- In this case the graph contains no cycle, since all of the edges are of the form (i,j) with $i < j$, so the complexity is $O(|E|)$.

6. 17

© Klein S. T. and Wiseman Y.

The pruning algorithm


- $E \leftarrow \emptyset; V \leftarrow \{1, \dots, n, n+1\}$
- for $i \leftarrow 1$ to n
 - ▶ $\text{Pred}(i) \leftarrow \{k \mid (k,i) \in E\}$
 - ▶ $\text{Succ_Candidates}(i) \leftarrow \{j \mid S_{i-1} \dots S_{j-1} \in D\}$
 - ▶ $\text{add_edge} \leftarrow \text{FALSE}$
 - ▶ for all $j \in \text{Succ_Candidates}(i)$
 - ◆ $\text{all_connected} \leftarrow \text{TRUE}$
 - ◆ for all $k \in \text{Pred}(i)$
 - if $(k,j) \notin E$ then $\text{all_connected} \leftarrow \text{FALSE}$
 - ◆ if not all_connected then
 - $E \leftarrow E \cup \{(i,j)\}$
 - $\text{Added_edge} \leftarrow \text{TRUE}$
 - ▶ if not added_edge then
 - ◆ $V \leftarrow V \setminus \{i\}$
 - ◆ $E \leftarrow E \setminus \{(j,i) \mid j \in \text{Pred}(i)\}$

6. 20

© Klein S. T. and Wiseman Y.

Pruning

- $L_{kj} \leq L_{ki} + L_{ij}$ for $k < i < j$




6. 19

© Klein S. T. and Wiseman Y.

Example (cont.)

- The graph after pruning




6. 22

© Klein S. T. and Wiseman Y.

Example

- A graph for the string abbaabbabab



6. 21

© Klein S. T. and Wiseman Y.

Results of recompression

File	Time		size bytes	Space	
	Optimal	Prune		Optimal No. of edges	Prune Percents remain
English	0.75	0.39	36521	220357	28.9
French	1.55	1.12	53580	222270	47.9
Finnish	1.22	0.47	34615	203772	29.3
German	2.15	1.07	55121	282662	32.9
Hebrew	1.50	1.05	48193	235260	33.7
paper1	1.33	0.76	53161	287574	29.4
prog1	3.05	0.94	71646	1187012	10.7
trans	3.94	0.83	93695	2031230	7.2
bib	2.55	1.52	111261	626136	25.2
moricons	10.02	1.57	118864	5320050	16.8

6. 24

© Klein S. T. and Wiseman Y.

Shortest Path Algorithm

- $\text{SPL}(1) \leftarrow 0$
- for $i \leftarrow 2$ to $n+1$
 - ▶ if $i \in V$ then
 - ◆ $\text{SPL}(i) \leftarrow \infty$
 - ◆ for all $j \in \text{Pred}(i)$
 - $t \leftarrow \text{SPL}(j) + L_{ji}$
 - if $\text{SPL}(i) > t$ then
 - ◆ $\text{SPL}(i) \leftarrow t$
- Each edge (j,i) is referenced exactly once, so the time complexity is $O(|E|)$.

6. 23

© Klein S. T. and Wiseman Y.